AUTHOR INDEX

ANDERSON, J. L., Wideband real-time Fourier analyzer using folded spectrum techniques, 128
ANDERSON, VICTOR C., Digital beamformer, 68
AVIV, DAVID G., New on-board data processing approach to achieve large compaction, 48
BAILEY, W. H., Charge-coupled device (CCD) radar signal processors, 218
BARBE, D. F., Charge-coupled devices (CCD) signal processing, 172
BENNETT, D. B., Comparison of computer architectures for radar signal processing, 80
BLANKENSHIP, PETER E., Custom NMOS LSI channel vocoder, 25
BROMLEY, KEITH, Electro-optical signal processing module, 107
BROWN, H. B., Wideband real-time Fourier analyzer using folded spectrum techniques, 128
BUTCHER, DARYL T., CMOS/SOS LSI for real-time signal processing, 191
CARLOTTO, MARK, Iterative optical processor (IOP) for adaptive phased array radar processing, 114
CASASENT, DAVID, Iterative optical processor (IOP) for adaptive phased array radar processing, 114
CASPE, ROBERT ALLEN, Scientific distributed processing, 98
CHANG, C. T., Applications of fiber and integrated optics to radar signal processing, 164
CHAPELLE, EMMETT W., Making real-time sun reflectance measurements with a microprocessor-based spectroradiometer, 243
CHENG, NIAN CHANG, New algorithm and architecture for fan-beam tomography, 74
COHEN, JONATHAN D., Ambiguity processor architectures using one-dimensional acousto-optic transducers, 134
DEYHIMY, IRA, GaAs integrated circuits and charge-coupled devices (CCDs) for high-speed signal processing, 182
DILLARD, GEORGE M., Applications of fiber and integrated optics to radar signal processing, 164
EBY, J. C., JR., Signal processing techniques in commercially available high-speed optical character reading equipment, 206
EDEN, RICHARD C., GaAs integrated circuits and charge-coupled devices (CCDs) for high-speed signal processing, 182
FARHAT, N. H., Microwave holographic imaging—prospects for a real-time camera, 10
FLANAGAN, WILLIAM D., Design considerations for real-time image processing, 2
FRANSEN, L. J., Flow-form implementation of a linear predictive coder for speech communication, 15
HAM, P. L., Charge-coupled device (CCD) radar signal processors, 218
HARNEY, R. C., Real-time quasi-three-dimensional display of infrared radar images, 56
HECHT, DAVID L., Acousto-optic signal processing device performance, 150
HICKS, J. R., Signal processing techniques in commercially available high-speed optical character reading equipment, 206
HITE, L. R., Charge-coupled device (CCD) radar signal processors, 218
HOOKE, ADRIAN J., User-oriented end-to-end transport protocols for the real-time distribution of telemetry data from NASA spacecraft, 41
KANG, G. S., Flow-form implementation of a linear predictive coder for speech communication, 15
KEENAN, THOMAS E., Electro-optical signal processing module, 107
KIM, Y. J., Comparison of computer architectures for radar signal processing, 80
KLINE, E. L., Flow-form implementation of a linear predictive coder for speech communication, 15
LIAO, K. Y., Acousto-optic time-integrating correlators using integrated optics technology, 160
LOUIE, ANTHONY C. H., Electro-optical signal processing module, 107
LYNCH, DAVID, JR., Signal processor for synthetic aperture radar, 226
MARGOLIN, JEROME, Radar signal processing—digital, charge-coupled device (CCD), or surface acoustic wave (SAW)?, 231
MARKEVITCH, B. V., Wideband real-time Fourier analyzer using folded spectrum techniques, 128
MARTIN, J. S., Real-time quasi-three-dimensional display of infrared radar images, 56
MARTIN, RICHARD D., Electro-optical signal processing module, 107
McCRAY, J. A., Charge-coupled device (CCD) radar signal processors, 218
McHUGH, PAUL G., Radar signal processing—digital, charge-coupled device (CCD), or surface acoustic wave (SAW)?, 231
MONAHAN, MICHAEL A., Electro-optical signal processing module, 107
MOORE, F. RICHARD, Signal processing requirements for computer music, 33
ORNDORFF, ROSS M., CMOS/SOS LSI for real-time signal processing, 191
PSALTIS, DEMETRI, Iterative optical processor (IOP) for adaptive phased array radar processing, 114
READER, CLIFFORD, Design considerations for real-time image processing, 2
RHODES, WILLIAM T., Acousto-optic devices applied to image processing, 143
SMITH, L. C., Comparison of computer architectures for radar signal processing, 80
SNYDER, DONALD L., New algorithm and architecture for fan-beam tomography, 74
SPEISER, J. M., Dual chirp-Z transform, 76
SULLIVAN, D. R., Real-time quasi-three-dimensional display of infrared radar images, 56
SYMANSKI, JEROME J., Electro-optical signal processing module, 107
THURBER, K. J., Comparison of computer architectures for radar signal processing, 80
TSAI, C. S., Acousto-optic time-integrating correlators using integrated optics technology, 160
WANG, J. K., Acousto-optic time-integrating correlators using integrated optics technology, 160
WASER, SHLOMO, LSI arithmetic devices for real time digital signal processing, 198
WHITEHOUSE, H. J., Dual chirp-Z transform, 76
ZABLOTNEY, J. H., Acousto-optic parallel channel wideband receiver concept, 122
ZWEIBAUM, FREDERIC M., Making real-time sun reflectance measurements with a microprocessor-based spectroradiometer, 243

SUBJECT INDEX

Acoustic wave (SAW)?, radar signal processing—digital, charge-coupled device (CCD), or surface, 231
Acousto-optic devices applied to image processing, 143
Acousto-optic parallel channel wideband receiver concept, 122
Acouto-optic signal processing device performance, 150
Acousto-optic time-integrating correlators using integrated optics technology, 160
Acousto-optic transducers, ambiguity processor architectures using one-dimensional, 134
Adaptive phased array radar processing, iterative optical processor (IOP) for, 114
Algorithm and architecture for fan-beam tomography, new, 74
Ambiguity processor architectures using one-dimensional acousto-optic transducers, 134

Analyzer using folded spectrum techniques, wideband real-time Fourier, 128
Aperture radar, signal processor for synthetic, 226
Applications of fiber and integrated optics to radar signal processing, 164
Approach to achieve large compaction, new on-board data processing, 48
Architecture for fan-beam tomography, new algorithm and, 74
Architectures for radar signal processing, comparison of computer, 80
Architectures using one-dimensional acousto-optic transducers, ambiguity processor, 134
Arithmetic devices for real time digital signal processing, LSI, 198
Array radar processing, iterative optical processor (IOP) for adaptive phased, 114

Beamformer, digital, 68

(CCD) radar signal processors, charge-coupled device, 218
(CCD) signal processing, charge-coupled devices, 172
(CCD), or surface acoustic wave (SAW)?, radar signal processing—digital, charge-coupled device, 231
(CCDs) for high-speed signal processing, GaAs integrated circuits and charge-coupled devices, 182
CMOS/SOS LSI for real-time signal processing, 191
Camera, microwave holographic imaging—prospects for a real-time, 10
Channel vocoder, custom NMOS LSI, 25
Channel wideband receiver concept, acousto-optic parallel, 122
Character reading equipment, signal processing techniques in commercially available high-speed optical, 206
Charge-coupled device (CCD) radar signal processors, 218
Charge-coupled device (CCD), or surface acoustic wave (SAW)?, radar signal processing—digital, 231
Charge-coupled devices (CCD) signal processing, 172
Charge-coupled devices (CCDs) for high-speed signal processing, GaAs integrated circuits and, 182
Chirp-Z transform, dual, 76
Circuits and charge-coupled devices (CCDs) for high-speed signal processing, GaAs integrated, 182
Coder for speech communication, flow-form implementation of a linear predictive, 15
Communications, flow-form implementation of a linear predictive coder for speech, 15
Compaction, new on-board data processing approach to achieve large, 48
Comparison of computer architectures for radar signal processing, 80
Computer architectures for radar signal processing, comparison of, 80
Computer music, signal processing requirements for, 33
Correlators using integrated optics technology, acousto-optic time-integrating, 160
Custom NMOS LSI channel vocoder, 25

Data from NASA spacecraft, user-oriented end-to-end transport protocols for the real-time distribution of telemetry, 41
Data processing approach to achieve large compaction, new on-board, 48
Design considerations for real-time image processing, 2
Digital beamformer, 68
Digital, charge-coupled device (CCD), or surface acoustic wave (SAW)?, radar signal processing—, 231
Digital signal processing, LSI arithmetic devices for real time, 198
Distributed processing, scientific, 98
Distribution of telemetry data from NASA spacecraft, user-oriented end-to-end transport protocols for the real-time, 41
Dual chirp-Z transform, 76

Electro-optical signal processing module, 107
End-to-end transport protocols for the real-time distribution of telemetry data from NASA spacecraft, user-oriented, 41

Fan-beam tomography, new algorithm and architecture for, 74
Fiber and integrated optics to radar signal processing, applications of, 164
Flow-form implementation of a linear predictive coder for speech communication, 15
Folded spectrum techniques, wideband real-time Fourier analyzer using, 128
Fourier analyzer using folded spectrum techniques, wideband real-time, 128

GaAs integrated circuits and charge-coupled devices (CCDs) for high-speed signal processing, 182

High-speed optical character reading equipment, signal processing techniques in commercially available, 206
High-speed signal processing, GaAs integrated circuits and charge-coupled devices (CCDs) for, 182
Holographic imaging—prospects for a real-time camera, microwave, 10

(IOP) for adaptive phased array radar processing, iterative optical processor, 114
Image processing, acousto-optic devices applied to, 143
Image processing, design considerations for real-time, 2
Images, real-time quasi-three-dimensional display of infrared radar, 56
Imaging—prospects for a real-time camera, microwave holographic, 10
Implementation of a linear predictive coder for speech communication, flow-form, 15
Infrared radar images, real-time quasi-three-dimensional display of, 56
Integrated circuits and charge-coupled devices (CCDs) for high-speed signal processing, GaAs, 182
Integrated optics to radar signal processing, applications of fiber and, 164
Integrated optics technology, acousto-optic time-integrating correlators using, 160

Iterative optical processor (IOP) for adaptive phased array radar processing, 114

LSI arithmetic devices for real time digital signal processing, 198
LSI channel vocoder, custom NMOS, 25
LSI for real-time signal processing, CMOS/SOS, 191
Large compaction, new on-board data processing approach to achieve, 48
Linear predictive coder for speech communication, flow-form implementation of a, 15

Making real-time sun reflectance measurements with a microprocessor-based spectroradiometer, 243
Measurements with a microprocessor-based spectroradiometer, making real-time sun reflectance, 243
Microprocessor-based spectroradiometer, making real-time sun reflectance measurements with a, 243
Microwave holographic imaging—prospects for a real-time camera, 10
Module, electro-optical signal processing, 107
Music, signal processing requirements for computer, 33

NASA spacecraft, user-oriented end-to-end transport protocols for the real-time distribution of telemetry data from, 41
NMOS LSI channel vocoder, custom, 25
New algorithm and architecture for fan-beam tomography, 74
New on-board data processing approach to achieve large compaction, 48

On-board data processing approach to achieve large compaction, new, 48
One-dimensional acousto-optic transducers, ambiguity processor architectures using, 134

Optical character reading equipment, signal processing techniques in commercially available high-speed, 206
Optical processor (IOP) for adaptive phased array radar processing, iterative, 114
Optics to radar signal processing, applications of fiber and integrated, 164
Optics technology, acousto-optic time-integrating correlators using integrated, 160

Parallel channel wideband receiver concept, acousto-optic, 122
Performance, acousto-optic signal processing device, 150
Phased array radar processing, iterative optical processor (IOP) for adaptive, 114
Predictive coder for speech communication, flow-form implementation of a linear, 15
Processing, CMOS/SOS LSI for real-time signal, 191
Processing, GaAs integrated circuits and charge-coupled devices (CCDs) for high-speed signal, 182
Processing, LSI arithmetic devices for real time digital signal, 198
Processing, acousto-optic devices applied to image, 143
Processing approach to achieve large compaction, new on-board data, 48
Processing, charge-coupled devices (CCDs) signal, 172
Processing, design considerations for real-time image, 2
Processing device performance, acousto-optic signal, 150
Processing—digital, charge-coupled device (CCD), or surface acoustic wave (SAW)?, radar signal, 231
Processing, applications of fiber and integrated optics to radar signal, 164
Processing, comparison of computer architectures for radar signal, 80
Processing, iterative optical processor (IOP) for adaptive phased array radar, 114
Processing module, electro-optical signal, 107
Processing requirements for computer music, signal, 33
Processing, scientific distributed, 98
Processing techniques in commercially available high-speed optical character reading equipment, signal, 206
Processor (IOP) for adaptive phased array radar processing, iterative optical, 114
Processor architectures using one-dimensional acousto-optic transducers, ambiguity, 134
Processor for synthetic aperture radar, signal, 226
Processors, charge-coupled device (CCD) radar signal, 218
Prospects for a real-time camera, microwave holographic imaging—, 10
Protocols for the real-time distribution of telemetry data from NASA spacecraft, user-oriented end-to-end transport, 41

Quasi-three-dimensional display of infrared radar images, real-time, 56

Radar images, real-time quasi-three-dimensional display of infrared, 56
Radar processing, iterative optical processor (IOP) for adaptive phased array, 114
Radar signal processing, applications of fiber and integrated optics to, 164
Radar signal processing, comparison of computer architectures for, 80
Radar signal processing—digital, charge-coupled device (CCD), or surface acoustic wave (SAW)?, 231
Radar, signal processor for synthetic aperture, 226
Radar signal processors, charge-coupled device (CCD), 218
Reading equipment, signal processing techniques in commercially available high-speed optical character, 206
Real-time camera, microwave holographic imaging—prospects for a, 10
Real-time digital signal processing, LSI arithmetic devices for, 198
Real-time distribution of telemetry data from NASA spacecraft, user-oriented end-to-end transport protocol for the, 41
Real-time Fourier analyzer using folded spectrum techniques, wideband, 128
Real-time image processing, design considerations for, 2
Real-time quasi-three-dimensional display of infrared radar images, 56
Real-time signal processing, CMOS/SOS LSI for, 191
Real-time sun reflectance measurements with a microprocessor-based spectroradiometer, making, 243
Receiver concept, acousto-optic parallel channel wideband, 122
Reflectance measurements with a microprocessor-based spectroradiometer, making real-time sun, 243

(SAW)?, radar signal processing—digital, charge-coupled device (CCD), or surface acoustic wave, 231
Scientific distributed processing, 98
Signal processing, CMOS/SOS LSI for real-time, 191
Signal processing, GaAs integrated circuits and charge-coupled devices (CCDs) for high-speed, 182
Signal processing, LSI arithmetic devices for real time digital, 198
Signal processing, applications of fiber and integrated optics to radar, 164
Signal processing, charge-coupled devices (CCD), 172
Signal processing, comparison of computer architectures for radar, 80
Signal processing device performance, acousto-optic, 150
Signal processing—digital, charge-coupled device (CCD), or surface acoustic wave (SAW)?, radar, 231
Signal processing module, electro-optical, 107
Signal processing requirements for computer music, 33
Signal processing techniques in commercially available high-speed optical character reading equipment, 206
Signal processor for synthetic aperture radar, 226
Signal processors, charge-coupled device (CCD) radar, 218
Spacecraft, user-oriented end-to-end transport protocols for the real-time distribution of telemetry data from NASA, 41
Spectroradiometer, making real-time sun reflectance measurements with a microprocessor-based, 243
Spectrum techniques, wideband real-time Fourier analyzer using folded, 128
Speech communication, flow-form implementation of a linear predictive coder for, 15
Sun reflectance measurements with a microprocessor-based spectroradiometer, making real-time, 243
Surface acoustic wave (SAW)?, radar signal processing—digital, charge-coupled device (CCD), or, 231
Synthetic aperture radar, signal processor for, 226

Techniques, wideband real-time Fourier analyzer using folded spectrum, 128
Telemetry data from NASA spacecraft, user-oriented end-to-end transport protocols for the real-time distribution of, 41
Three-dimensional display of infrared radar images, real-time quasi-, 56
Time-integrating correlators using integrated optics technology, acousto-optic, 160
Tomography, new algorithm and architecture for fan-beam, 74
Transducers, ambiguity processor architectures using one-dimensional acousto-optic, 134
Transform, dual chirp-Z, 76
Transport protocols for the real-time distribution of telemetry data from NASA spacecraft, user-oriented end-to-end, 41

User-oriented end-to-end transport protocols for the real-time distribution of telemetry data from NASA spacecraft, 41

Vocoder, custom NMOS LSI channel, 25

Wideband real-time Fourier analyzer using folded spectrum techniques, 128
Wideband receiver concept, acousto-optic parallel channel, 122